

# Lithium ion battery datasheet

Lithium-ion Battery DATA SHEET Battery Model: LIR1632 Prepared Authorized Approved Zhe Hao, Wei Feng, Li Ji de, Wong ... 5.0 WARNINGS AND CAUTIONS IN HANDLING THE Lithium-ion BATTERY To prevent a possibility of the battery from leaking, heating or explosion, please observe the following precautions:

Lithium Ion Cell 18650 2500mAh Battery Datasheet. Distributed by TinyCircuits: TinyCircuits Part Number: ASR00050. Website: <https://tinycircuits.com/> Company Address: 540 S. Main St Ste ...

Lithium -Ion battery specifications Lithium-ion 24V 100Ah 2.6kWh battery Lithium-ion 24V 180Ah 4.75kWh battery Technology Lithium iron phosphate (LiFeP O4) Lithium iron phosphate (LiFeP O4) Nominal voltage 25,6V 25,6V Nominal capacity 100Ah 180Ah Nominal power 2,6kWh 4,75kWh Weight 30kg 55kg Power/Weight ratio 86Wh/kg 86Wh/kg

Lithium Ion (Li-Ion) Batteries are available at Mouser Electronics. Mouser offers inventory, pricing, & datasheets for Lithium Ion (Li-Ion) Batteries. ... Battery Chemistry = Lithium Ion (Li-Ion) Change Filters. Mfr.: Panasonic Part # in Datasheet: 1. View View. Download. ... Previous Datasheet: Next Datasheet: Open in a New Window; Download PDF;

Lithium-Ion Rechargeable Battery Pack BL1850 / BL1850B Complies with the OSHA Hazard Safety Data Sheet Communication Standard: 29 CFR 1910 1200 Makita U.S.A., Inc. Prepared By: Stan Rodrigues 14930-C Northam Street La Mirada, CA 90638 Date Revised: 02/14/2022 EMERGENCY CONTACT INFORMATION Telephone Number for Information: ...

power sources besides specific Li-ion charger models approved by Ansmann. Connecting to inappropriate power supplies can result in fire or explosion. Disposal: Dispose in accordance with all applicable federal, state and local regulations. Material - Safety - Data Sheet (MSDS) for single cells and multi-cell battery packs Ansmann Lithium-Ion ...

commercial lithium ion rechargeable battery product. In addition to a high energy density, this battery also offered excellent low-temperature characteristics, load characteristics and cycle ...

Lithium-ion battery~~~~~ Lithium Polymer battery ~~~~~ Model~~~~: CS-PMIICS-L-A Spec~~~~: 3.7/1600mAh Edition~~~~: A/0 This product approval sheet has 9 pages ( include the first page ) ~~~~~ 9 ~ ( ~~~ ). This product approval sheet includes technical features, testing method, external

Lithium ion rechargeable batteries with lithium cobalt oxide cathodes and graphite anodes 1. Charge characteristics; 2. Discharge characteristics; 3. Storage characteristics; 4. Discharge characteristics at GSM pulse mode 2-5-2 Graphite (US18650GR) Lithium ion rechargeable batteries with lithium cobalt oxide cathodes and graphite anodes 1.

Relevant identified uses : Lithium-ion batteries Uses advised against : Use for recommended use only Further Information : Not available 1.3 Details of the supplier of the safety data sheet Supplier : SAMSUNG SDI Co., Ltd. Street address/P.O. Box : 150-20, Gongse-ro, Giheung-gu, Yongin-si, Gyeonggi-do, Korea Country ID/Postcode/Place :

LGCHEM SAFETY DATA SHEET SDS Page 1 of 16 Printed 19-9-49 Lithium-ion Rechargeable Battery Pack LG Chem, Ltd. MSDS for Dell Batteries. History Version. Items Description Date V01 Origin Initial Release 2011.04.05 V5 7 Reversion For 2017 201 7.01 .04 V58 Update 2017.03.02 V60 Update Add Turis MLK 2017.11.03

Learn about 18650 lithium cell, its positive and negative side pinout, technical specifications, mAh, C rating, charging, discharging and comparison with other popular batteries.

August 2017 - Version 2.0 - Rechargeable Li-ion cells, modules or battery systems Page 1 Battery Information Sheet Rechargeable lithium-ion cells, modules and battery systems According to REACH regulation (EC 1907/2006, Art 31) and to OSHA regulation (29 CFR 1910.1200), batteries are ARTICLES with no intended release. As such, they are not ...

MATERIAL SAFETY DATA SHEET Lithium-Ion Battery . LG Chem, Ltd. 1. Chemical Product and Company Identification . Product Identification . Lithium-Ion Battery ( All models manufactured by LG Chem, Ltd ) Manufacturer . LG Chem, Ltd. LG Twin Towers, 128, Yeoui -daero, Yeongdeungpo-gu, Seoul 150-721, Korea

Safety Data Sheet 18650 Lithium Ion Battery Model / Type Reference 18650 Trademark ASP Nominal Voltage 3.7V Typical Capacity 2200mAh, 8.14Wh Weight 43.3g Shape and Physical Dimension (mm) L: 68.8mm T: 18.6mm Version Number V1.0 Preparation Date 1 September 2016 Revision Date N/A Address Armament Systems and Procedures, INC

DATA SHEET LITHIUM ION RECHARGEABLE BATTERY BB- 2590/U BATTERY 10.2AH/294WH PATCO Electronics | division of Creating Technology Solutions, LLC 5250 140th Avenue North | Clearwater | Florida | 33760 | USA Tel 727-914-3001 | Fax 727-914-3342 | | PATCO CAGE Code: 03UN7 Minority Owned ...

US3000C Pylontech Lithium &#174; Pylontech's US3000C lithium battery is the new version of the already known US3000. The simplicity and modularity of the 3.55 kWh capacity US3000C make it suitable to realize storage systems of small and large capacities that can be expanded according to current and future energy needs.

Lithium HE battery 24V / 100Ah 24V / 200Ah Technology Lithium-Ion NMC Lithium-Ion NMC Cell configuration 7S32P 7S64P Nominal voltage 25,2 V 25,2 V Nominal capacity 100 Ah 200 Ah Nominal

# Lithium ion battery datasheet

energy 2,5 kWh 5,0 kWh Cycle Life @80% DoD (0,3C) 2000 2000 Energy/weight ratio (incl. BMS and enclosure) 159 Wh/kg 175 Wh/kg

MATERIAL SAFETY DATA SHEET Issued/Revised date :January 01 2020 Document No. : DE-200101001

1. Product and Company Identification ... The lithium ion battery should be between 25% and 75% of full charge when stored for a long period of time. Store in a cool, dry, well ventilated area. And temperature above 100 Celsius degree can

Lithium Ion INR21700 M50 18.20Wh 2016-08-23 Tentative 4/13 1. General Information 1.1 Scope This product specification defines the requirements of the rechargeable lithium ion battery to be supplied to the Customer by LG Chem. 1.2 Product classification : Cylindrical rechargeable lithium ion battery 1.3 Model name : INR21700 M50 2.

US 12V G24 - Data Sheet Lithium-Ion Battery 12.8 V | 100AH(1.28kWh) Cell Chemistry: Lithium Iron Phosphate (LFP) Case: ABS Dimensions: 10.24"w x 6.61"l x 8.27"h BCI Group size: ... terminals to charge may fail to wake the Li-Ion battery from the protection mode. o To charge a single 12V battery, the suggested charging voltage is between ...

Product name: Lithium ion rechargeable battery cell Reference number: SDS-IBT-00026 Establishment / Revision: Nov. 30, 2020 1/5 \*This document has been prepared taking into account regulations as of January 1, 2021 Safety data sheet for product 1. PRODUCT AND COMPANY IDENTIFICATION Product name: Lithium ion rechargeable battery cell

A Lithium-Ion battery does not need to be fully charged. Service life even slightly improves in case of partial charge instead of a full charge. This is a major advantage of Li-ion compared to lead -acid. The SuperPack batteries will cut-off the charge or discharge current when the maximum ratings are exceeded. Efficient

24V 180Ah/100Ah Lithium-Ion Batteries. The base of the Victron Lithium-Ion Battery System is formed by individual 24V/180Ah Lithium-ion batteries. They have a built-in Cell Management ...

Lithium-ion battery datasheets, also known as specification sheets, are documents that battery manufacturers provide to define the battery's function, operational limit, performance, reliability, safety, cautions, prohibitions, and ...

-The Lithium-Ion battery is of the type proved to meet the tests requirements of the UN Manual of Tests and Criteria, PartIII, sub-section 38.3 ; A summary report of the tests shall be available on request. ... Therefore providing a Safety Data Sheet in Europe is not mandatory for articles. This document provides

for Lithium-ion rechargeable cell Model name : INR18650-35E July, 9th, 2015 Samsung SDI Co., Ltd. ... Samsung SDI., Battery Business Division. 1 Revision history Revision No. Date("yr-m-d) Page Item Description Changes / Author Ver. 1.0 "15-03-10 19 Ver. 1.0 Yunwoong Kim Ver. 1.1 "15-07-09 19 Cycle life



# Lithium ion battery datasheet

condition change Yunwoong Kim .

SAFETY DATA SHEET Section 1: PRODUCT AND COMPANY IDENTIFICATION Interstate All-Battery  
EMERGENCY PHONE: 24 hours - (800) 255-3924 4301 121st Street INFORMATION PHONE: (800)  
541-8419, Ext. 6672 or 6663 Urbandale, IA 50323 PRODUCT NAME: Lithium Ion SDS NUMBER: LION1  
REVISION NUMBER: 2 DATE OF ...

Web: <https://www.derickwatts.co.za>

Chat online: <https://tawk.to/chat/667676879d7f358570d23f9d/1i0vbu11i?web=https://www.derickwatts.co.za>